




# राजस्थान राज्य क्रीडा परिषद

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं० 0141-2744283, फ़ैक्स नं० 0141-2740568, ईमेल आईडी-rsscjaipur@gmail.com



क्रमांक : एफ-8/स.अ./मरम्मत कार्य/2023-24/1142

दिनांक : 20/02/2024

## निविदा सूचना संख्या 44 / 2023-24

राजस्थान राज्य क्रीडा परिषद, जयपुर की ओर से सवाई मानसिंह स्टेडियम, जयपुर परिसर में सैनेट्री मरम्मत कार्य हेतु राज्य/केन्द्र सरकार के अधिकृत संगठनों के विभागों में पंजीकृत संवेदक, जो कि राजस्थान सरकार के उपयुक्त श्रेणी के संवेदकों के समकक्ष हो, से ई-प्रोक्यूरमेंट प्रक्रिया हेतु आनलाइन निविदा आमंत्रित की जाती है।

निविदा से संबंधित अन्य आवश्यक विवरण वेबसाइट <http://sppp.rajasthan.gov.in>, <http://eproc.rajasthan.gov.in> व [www.rssc.in](http://www.rssc.in) पर देखी जा सकती है।

(सोहन राम चौधरी)

आर.ए.एस

सचिव





RAJASTHAN STATE SPORTS COUNCIL

## TENDER DOCUMENT

FOR

Sanitary Maintenance Work at Sawai Man Singh Stadium,  
Jaipur.

NIT NO. : NIT No. 44 /2023-24

ESTIMATED COST : Rs. 25.00 Lacs

EARNEST MONEY : Rs. 50,000/-

DATE OF SALE / DOWNLOADING : From Wednesday February 21, 2024, 10:00  
Hours to Friday March 01, 2024, 13:00 Hours

DATE OF RECEIPT (D.D. & : From Wednesday February 21, 2024, 10:00  
DOCUMENTS) Hours to Friday March 01, 2024, 15:00 Hours

DATE OF OPENING OF TENDER : Friday March 01, 2024 AT 16:00 Hours

COMPLETION PERIOD : 1 Year (12 Months)

COST OF TENDER : Rs. 500/- in favour of Secretary, RSSC, Jaipur

PROCESSING FEES Rs 500/- in favour of MD, RISL, Jaipur

## Rajasthan State Sports Council. Jaipur

### Important Dates of Bids


1. Completion Period	1 Year (12 Months)
2. Date of Issue of Notice Inviting Tender	Wednesday February 21, 2024
3. Period and Places of Sale/ Download of Bidding Documents -	From Wednesday February 21, 2024, 10:00 Hours to Friday March 01, 2024, 13:00 Hours <a href="http://sppp.rajasthan.gov.in">http://sppp.rajasthan.gov.in</a> , <a href="http://www.rssc.in">www.rssc.in</a> & <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a>
4. Deadline for uploading	From Wednesday February 21, 2024, 10:00 Hours to Friday March 01, 2024, 13:00 Hours
5. Time and Date for Opening of Bids	Friday March 01, 2024, AT 16:00 Hours
6. Place of Opening of Bids	Rajasthan State Sports Council, SMS Stadium, Jaipur-302005
7. Officer Inviting Bids	Secretary, Rajasthan State Sports Council. Jaipur. Address: SMS Stadium, Jaipur-302005
8. Earnest money to be deposited	As per NIT



**Instructions and information to bidder regarding Fee, EMD etc.**

District	Name of Work Package No.	Estimated Cost (Rs )	Earnest Money	Time Allowed for completion	End date and time for downloading Tender	Time and date of opening of tender	Place of Sale of documents	Class of contractor.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Jaipur	Sanitary Maintenance Work at Sawai Man Singh Stadium, Jaipur	25.00 Lacs	Rs. 50,000/-	12 Months	Friday March 01, 2024, 13:00 Hours	Friday March 01, 2024, AT 16:00 Hours	<a href="http://sppp.rajasthan.gov.in">http://sppp.rajasthan.gov.in</a> , <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a> & <a href="http://www.rssc.in">www.rssc.in</a>	S-1 and Above category for Sanitary works.

1. The Tender Fee and earnest money as mentioned above should be deposited in the appropriate form as per the tender documents in favour of **Secretary, Rajasthan State Sports Council, Jaipur** payable at **Jaipur** and **Processing Fees Rs 500/-** in favour of **MD, RISL, Jaipur** payable at Jaipur and must be uploaded scan copy of Registration of Firm, Demand Draft of Tender Cost, Processing Fee & Earnest Money and GST Number on the site
1. The tender can be viewed and downloaded from web site <http://sppp.rajasthan.gov.in>, <http://eproc.rajasthan.gov.in> & [www.rssc.in](http://www.rssc.in)
2. The authorized tender documents are available for inspection in the office of **Rajasthan State Sports Council, SMS Stadium, Jaipur** from all working days.



## **Annexure A: Compliance with the Code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.


### **Conflict of interest.-**

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

(i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, Works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.




**Annexure B: Declaration by the Bidder regarding Qualifications**  
**Declaration by the Bidder**

In relation to my/our Bid submitted to .....for procurement of  
.....in response to their Notice inviting Bids  
No.....Dated.....I/we .....hereby declare under Section 7 of  
Rajasthan Transparency in Public Procurement Act, 2012 that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:  
Place:

Signature of bidder  
Name:  
Designation:  
Address:



### **Annexure C: Grievance Redressed during Procurement Process**

The designation and address of the First Appellate Authority is **Deputy Secretary**, Youth Affairs & Sports Department Govt. of Rajasthan. The designation and address of the Second Appellate Authority is **Principal Secretary**, Youth Affairs & Sports Department Govt. of Rajasthan, Jaipur.

**(1) Filing an appeal:-**

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

**(2)** The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.

**(3)** If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

**(4) Appeals not to lie in certain cases:-**

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

**(5) Form of Appeals:-**

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, Affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second Appellate authority, as the case may be, in person or through registered post Or authorized representative.


**(6) Fee for filing Appeal:-**

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.



**(7) Procedure for disposal of Appeal:-**

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be shall-
  - (i) Hear all the parties to appeal present before him; and
  - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

A handwritten signature in black ink, consisting of a stylized 'A' followed by a horizontal line and a vertical line, with a small 'C' to the right.



## Annexure D: Additional Conditions of Contract

### 1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

### 2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, Works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed Five percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.

- (i) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

### 3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.



# राजस्थान राज्य क्रीडा परिषद

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं० 0141-2744283, फ़ैक्स नं० 0141-2740568, ईमेल आईडी-rsscjaipur@gmail.com

## बोली की शर्तें

**विशेष टिप्पणी :-** बोलीदाताओं को इन शर्तों को सावधानी पूर्वक पढ़ना चाहिए तथा अपनी ई-बोलियां भेजते समय इनकी पूर्ण रूपेण पालना करनी चाहिए।

1. तकनीकी प्रस्तावों में सफल बोलीदाताओं के ही वित्तीय प्रस्ताव खोले जावेंगे जो निविदादाता तकनीकी बिड में सफल नहीं पाये गये उनकी वित्तीय बोली नहीं खोली जायेगी।
2. कोई भी फर्म/संवेदक यदि जी.एस.टी. अधिनियम के अन्तर्गत पंजीकृत नहीं है तो वह बोली नहीं देगा। इनके अभाव में बोलियों पर विचार नहीं किया जायेगा। जी. एस. टी. देयता प्रमाण पत्र दिसम्बर, 2023 का संलग्न करना आवश्यक है।
3. दरें जी.एस.टी. तथा केन्द्र व राज्य सरकार द्वारा देय समस्त करों सहित देनी होंगी।
4. बोली ऑन-लाईन प्रस्तुत की जावेगी एवं निर्दिष्ट कॉलमों में प्रविष्टि की जावेगी।
5. दरें गन्तव्य स्थान तक एफ.ओ.आर. सवाई मानसिंह स्टेडियम जयपुर के आधार पर होंगी अर्थात् परिवहन संबंधी कोई राशि परिषद द्वारा पृथक से देय नहीं होगी।
6. बोलियां उपापन अधिनियम/पारदर्शिता अधिनियम के तत्संबंधी प्रावधानों (धारा-28 आदि) के अध्वधीन रहते हुये उनके खोले जाने की दिनांक से एक वर्ष की अवधि के लिए विधि मान्य होंगी।
7. बोलीदाता अपनी संविदा या उसके किसी भाग को किसी अन्य एजेन्सी के लिए नहीं सौंपेगा या उपभाडे पर नहीं देगा।
8. बोलीदाता का उसके प्रतिनिधि की ओर से प्रत्यक्ष अथवा अप्रत्यक्ष रूप से अपना पक्ष समर्थन करना एक प्रकार की अनर्हता होगी। हित विरोधी धारा 80 होगी।
9. विहित समय एवं तारीख के पश्चात् जो भी बोलियां प्राप्त होंगी उन्हें किसी स्थिति में स्वीकार नहीं किया जावेगा।
10. यदि बोलीदाता ऐसी कोई शर्त आरोपित करता है जो उसमें वर्णित शर्तों के अतिरिक्त है या उनके विरोध में है तो उसकी बोली को संक्षिप्त रूप में कार्यवाही कर रद्द कर दिया जावेगा।
11. तकनीकी बोली के साथ बोलीदाता को निम्न दस्तावेज संलग्न करने अनिवार्य होंगे (जिसके आधार पर तकनीकी बिड का मूल्यांकन किया जायेगा) :-
  - i. बोली में अंकित पते के प्रमाण हेतु पानी/बिजली/टेलीफोन/मोबाईल के बिल, पेन कार्ड, पासपोर्ट, आधार कार्ड अथवा ड्राईविंग लाईसेन्स में से कोई एक की प्रमाणित छाया प्रतियां।
  - ii. बोलीदाता/फर्म का विगत 3 वित्तीय वर्षों (2020-21, 2021-22 एवं 2022-23) में औसत वार्षिक टर्न ओवर 25.00 लाख से कम नहीं होना चाहिये। इस हेतु बोलीदाता को उक्त वर्षों का सीए से प्रमाणित प्रमाण पत्र की प्रति मय यूडीआई नम्बर सहित संलग्न करनी होगी।
  - iii. गत 3 वर्षों (2020-21, 2021-22 एवं 2022-23) में राजकीय विभागों में किये गये सैनेट्री कार्य का एकल कार्य आदेश 25.00 लाख या उससे अधिक या दो कार्य आदेश 12.50 लाख का होना आवश्यक है। इसके प्रमाणीकरण हेतु कार्यादेश एवं कार्य के सन्तोषजनक होने का प्रमाण पत्र आदि आवश्यक दस्तावेज संलग्न करने होंगे।

iv. बोलीदाता को माल एवं सेवाकर (GST) के रजिस्ट्रेशन की प्रति संलग्न करनी होगी।

v. अमानत राशि एवं बोली प्रपत्र शुल्क का डी.डी. संलग्न करना होगा।

12. बयाना राशि :-

(क) बोली से पूर्व (2% बोली सूचना के अनुसार) नियमानुसार बयाना राशि ऑन-लाईन प्रस्तुत की जायेगी। इसके बिना बोलीओं पर विचार नहीं किया जायेगा। यह राशि सचिव, राजस्थान राज्य क्रीड़ा परिषद, जयपुर के पक्ष में बैंक ड्राफ्ट/बैंकर्स चैक में से किसी रूप में जमा करायी जा सकती है।

(ख) असफल बोलीदाता की बयाना राशि बोली को अंतिम रूप से स्वीकार करने के बाद यथा संभव शीघ्र लौटा दी जावेगी।

(ग) अनुमोदन की प्रतीक्षा करने वाली या रद्द की गई या संविदाओं के पूर्ण हो जाने के कारण परिषद कार्यालय के पास जमा बयानाराशि/प्रतिभूति निक्षेप को नवीन निविदा के लिए बायाना राशि/प्रतिभूति राशि के प्रति समायोजित नहीं किया जायेगा।

13. बयाना राशि का समपहरण:- बयाना राशि को निम्नलिखित मामलों में समपहरत कर लिया जायेगा:-

(क) जब बोलीदाता बोली खोलने के बाद किन्तु बोली को स्वीकार करने के पूर्व प्रस्ताव को वापस लेता है या उसमें उपान्तरण करता है।

(ख) जब बोलीदाता विनिष्ट समय के भीतर विहित करार को निष्पादित नहीं करता है।

(ग) जब बोलीदाता प्रदायगी के लिए आदेश देने के बाद प्रतिभूति राशि जमा नहीं कराता हो।

(घ) जब वह निर्धारित समय के अन्तर्गत आदेशों के अनुसार कार्य करने में असफल रहता है अथवा संतोषजनक सेवाएं देने में असमर्थ रहता है।

14. करार एवं प्रतिभूति निक्षेप :-

(क) सफल बोलीदाता को आदेश दिनांक से 7 दिन की अवधि के भीतर नियमानुसार मूल्य के नॉन ज्यूडिशियन स्टॉम्प पेपर पर (जिसका व्यय स्वयं बोलीदाता द्वारा वहन किया जावेगा) एक करार-पत्र निष्पादित करना होगा तथा प्रावधित मूल्य जिसके लिए बोली स्वीकार की गई है।

(ख) बोली के समय जमा कराई गई बयाना राशि को प्रतिभूति की राशि के लिए समायोजित किया जायेगा।

(ग) बयाना/प्रतिभूति राशि पर परिषद द्वारा कोई ब्याज का भुगतान नहीं किया जायेगा।

(घ) प्रतिभूति राशि के रूप में नकद रसीद पत्र/शिड्यूल बैंक का ड्राफ्ट/बैंकर्स चैक मान्य होंगे।

15. प्रतिभूति राशि का समपहरण :- प्रतिभूति की राशि को पूर्ण अथवा आंशिक रूप से निम्नलिखित मामलों में समपहरत किया जायेगा:-

(क) जब संविदा की किसी शर्त/अथवा शर्तों का उल्लंघन किया गया हो।

(ख) जब बोलीदाता सम्पूर्ण कार्य संतोषजनक ढंग से करने में असफल रहा हो।

(ग) प्रतिभूति निक्षेप को समपहरत करने के मामले में युक्तियुक्त नोटिस दिया जावेगा इस सम्बन्ध में परिषद के अधिकारी का निर्णय अन्तिम होगा।

(घ) कार्य में असफल रहने पर परिषद द्वारा वैकल्पिक व्यवस्था किये जाने पर उसमें जो भी व्यय होगा बोलीदाता से उसकी प्रतिभूति राशि में से अथवा

उसको देय बिल की राशि के भुगतान में से की जायेगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी.डी.आर.एक्ट या प्रवृत्त अन्य किसी कानून के अन्तर्गत कार्यवाही की जावेगी।

16. करार पत्र को पूर्ण करने एवं उस पर स्टाम्प लगाने का व्यय बोलीदाता द्वारा वहन किया जायेगा तथा परिषद को उस करार पत्र की निष्पादित स्टाम्प शुदा प्रति पडत निःशुल्क प्रस्तुत की जायेगी।
17. परिषद के प्राधिकृत अधिकारी या उसका विधिवत् प्राधिकृत प्रतिनिधि सभी युक्तियुक्त उचित समयों पर ठेकेदार के परिसर में जायेगा तथा वह विनिर्माण की प्रक्रिया के दौरान या उसके बाद जैसे भी हो किसी भी समय सामग्री का निरीक्षण एवं जांच करने की शक्ति रखेगा।
18. परीक्षण प्रभार परिषद द्वारा वहन किये जायेंगे। यदि बोलीदाता अत्यावश्यक तत्काल परीक्षण कराना चाहता है या यदि परिणामों से यह ज्ञात होता है कि प्रदाय किया गया सामान विहित स्तरों या विनिर्देशों के अनुसार नहीं है तो परीक्षण प्रभार बोलीदाता द्वारा वहन किये जायेंगे।
19. अनुमोदित कार्य के लिए यह समझा जाएगा कि उसने कार्य किये जाने वाले विनिर्देशों की सावधानीपूर्वक जांच कर ली है यदि उसे इन शर्तों, विनिर्देशों, रेखाचित्रों आदि के किसी भाग के आशय के बारे में कोई सन्देह हो तो वह संविदा पर हस्ताक्षर करने से पूर्व परिषद से स्पष्टीकरण प्राप्त करेगा।
20. सफल बोलीदाता को कार्य आदेश जारी तिथि के 10 दिवस के अन्दर कार्य प्रारम्भ करना होगा।
21. यदि निविदा सूचना में दर्शित मात्रा से अधिक के लिए आदेश दिया जाता है, तो निविदादाता अपेक्षित कार्य करने के लिए बाध्य होगा। पुनः आदेश भी निविदा में दी गयी शर्तों पर दिए जा सकेंगे परन्तु शर्त यह है, कि ऐसे पुनःआदेश मूल रूप से खरीदी गयी मात्रा की 50 प्रतिशत तक के अतिरिक्त प्रदाय के लिए ही होंगे।
22. गारन्टी :- गारन्टी नियमानुसार होगी।
23. परिसमापित नुकसानी :-
  - (1) परिसमापित नुकसानी के साथ कार्य अवधि में वृद्धि करने के मामले में, वसूली राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान अनुसार होगी।
  - (2) यदि प्रदायकर्ता किन्ही बाधाओं के कारण संविदान्तर्गत कार्य का प्रदाय पूरा करने के लिए समय में वृद्धि कराना चाहता है, तो वह लिखित में परिषद को आवेदन करेगा। किन्तु वह उसके लिए निवेदन बाधा के घटित होने पर तुरन्त उसी समय करेगा न कि प्रदाय पूर्ण होने की निर्धारित तारीख के बाद करेगा।
  - (3) यदि कार्य प्रदाय करने में उत्पन्न हुई बाधा बोलीदाता के नियन्त्रण से परे कारणों से हुई हो तो कार्य की अवधि में वृद्धि परिसमापित नुकसानी सहित या रहित की जा सकेगी।
24. वसूली :- परिसमापित नुकसानी, कम प्रदाय, टूट-फूट, रद्द की गई वस्तुओं के लिए वसूली साधारण रूप से बिल में से की जाएगी। संवेदक कम प्रदाय, टूट-फूट, रद्द किए गए कार्यों की सीमा तक राशि को भी रोका जा सकेगा तथा यदि सेवा सन्तोषजनक ढंग से उनको कार्य करता है तो परिसमापित नुकसानी के साथ वसूली उसे देय राशि एवं विभाग के पास उपलब्ध प्रतिभूति



निक्षेप से की जाएगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी डी आर एक्ट या प्रवृत्त अन्य कानून के अन्तर्गत कार्रवाई की जाएगी।

**25. भुगतान :-**

- (क) बोलीदाता द्वारा क्रेता अधिकारी को उचित प्रारूप में लोक उपापन नियमों के अनुसार बिल प्रस्तुत करने पर भुगतान किया जायेगा। सभी प्रेषण प्रभार बोलीदाता द्वारा वहन किये जायेंगे। किसी भी सूरत में अग्रिम भुगतान नहीं किया जायेगा।
- (ख) विवादास्पद मदों में राशि का 10 प्रतिशत से 25 प्रतिशत तक को रोका जायेगा तथा उस विवाद का निपटारा हो जाने पर उसका भुगतान कर दिया जायेगा।
- (ग) उन मामलों में, जिनमें परीक्षण करने की जरूरत है, भुगतान तभी किया जायेगा जब उनका परीक्षण कर लिया जाये तथा प्राप्त हुए परीक्षण परिणाम विहित निर्देशों के अनुरूप हों।
26. यदि कार्य की तात्कालिक आवश्यकता के कारण पूर्ण या आंशिक रूप में उन कार्यों को बदलना साध्य नहीं समझा जाए तो राजस्थान राज्य क्रीडा परिषद द्वारा बोलीदाता को सुनवाई किये जाने का एक उचित अवसर देकर, ऐसे कारणों से जो अभिलिखित किये जायेंगे, अनुमोदित दरों में से उपयुक्त राशि की कटौती करेगा। इस प्रकार की गई कटौती अन्तिम होगी।
27. निविदादाता करार को निष्पादित करते समय निम्नलिखित दस्तावेज प्रस्तुत करेगा :-
- (i) यदि भागीदारी फर्म हो तो "पार्टनरशिप डीड" की अनुप्रमाणित प्रति।
- (ii) यदि भागीदारी फर्म रजिस्ट्रार ऑन फर्म्स के पास पंजीकृत हो तो पंजीयन संख्या एवं उसका वर्ष।
- (iii) एक मात्र स्वामित्व के मामले में आवास एवं कार्यालय का पता, टेलीफोन नम्बर।
- (iv) कम्पनी के मामले में कम्पनी के रजिस्ट्रार के द्वारा जारी किया गया प्रमाण-पत्र।
28. संविदा के निर्वचन, आशय या संविदा की शर्तों के उल्लंघन के सम्बन्ध में या अन्य किसी भी प्रकार का विवाद होने पर परिषद का निर्णय अन्तिम होगा।
29. समस्त विधिक कार्यवाहियां यदि संस्थित किया जाना आवश्यक हो तो जयपुर स्थित न्यायालय में ही की जाएगी। अन्यत्र नहीं की जाएगी।
30. बोलीदाता द्वारा अपलोड किये जाने वाले दस्तावेजों पर नम्बरिंग होनी चाही एवं चैक लिस्ट भर कर प्रस्तुत करनी होगी।
31. सचिव, राजस्थान राज्य क्रीडा परिषद, जयपुर को बिना कारण बताये किसी भी बोली को स्वीकार/अस्वीकार करने का अधिकार होगा।
32. जी.एफ. एण्ड ए.आर., राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान लागू होंगे।

बोलीदाता के हस्ताक्षर  
(मय नाम पता एवं मोहर)



## घोषणा

मैने/हमने सवाई मानसिंह स्टेडियम, जयपुर में सैनेट्री मरम्मत कार्य हेतु (मय सामग्री) की बोली के नियम एवं शर्तों को भली-भाँति पढ़ व समझ लिया है। मुझे/हमारी फर्म को किसी भी विभाग द्वारा ब्लेक-लिस्ट नहीं किया गया है। इन शर्तों एवं नियमों के अधीन मैं/हम उक्त कार्य करने हेतु सहमत एवं वचनबद्ध हूँ/हैं। यदि मेरे/हमारे द्वारा की किसी बोली की शर्तों, नियमों अथवा आदेशों का उल्लंघन किया जावेगा तो सक्षम अधिकारी द्वारा मेरे/हमारे विरुद्ध बोली के नियम/शर्तों के उल्लंघन की कार्यवाही करने के लिए अधिकृत होगा। इस सम्बन्ध में मुझे/हमें सक्षम/अधिकृत अधिकारी द्वारा लिया गया निर्णय मान्य होगा तथा इसमें मुझे/हमको कोई आपत्ति/हस्तक्षेप नहीं है।

हस्ताक्षर बोलीदाता.....

नाम/पता .....

टेलीफोन नं. ....

दिनांक .....




## General Instructions for Filling of Bid

The complete bidding document has been published on the website [www.rssc.in](http://www.rssc.in), <http://sppp.raj.nic.in>, <http://eproc.raj.gov.in>, for the purpose of downloading.

1. Bidders who wish to participate in this bidding process must register on [www.rssc.in](http://www.rssc.in) & <http://sppp.raj.nic.in>,
2. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, safe crypt, Node etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC.
3. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for Technical and financial proposal. However, DD for Tender Fees, EMD payable in favor of SECRETARY RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, payable at Jaipur and Processing Fees payable in favor of Managing Director, RAJCOMP Info Services Limited, payable at JAIPUR. **Tender fee, EMD and processing fee DD should be submitted physically at the office of RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, and Scanned copy of same should also be uploaded along with the technical bid.**
4. RAJASTHAN STATE SPORTS COUNCIL, JAIPUR will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid Last hours issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about the e-tendering process.
6. No contractual obligation, whatsoever shall arise from the bidding process unless and until a formal contract is signed and executed between the tendering authority and the successful Bidder.

  
SECRETARY



### UNDERTAKING BY THE BIDDER

This is to certify that I/we before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by them. I/We have signed all the pages in acceptance of the terms and conditions.

I/We also undertake that I/We will not adopt any malpractices at any stage of bidding/execution.

Signature of the Bidder with Seal

Name:

Designation:

Address:

A handwritten signature in black ink, appearing to be 'O. S. T.' with a stylized flourish at the end.



**BIDDER'S AUTHORIZATION CERTIFICATE {to be filled by the bidder}**

To,  
{Tendering Authority},

\_\_\_\_\_,  
\_\_\_\_\_

I/  
We.....{Name/Designatio  
n} hereby declare/ certify that  
.....

..... {Name/ Designation} is hereby authorized to sign relevant documents on behalf of the company/ firm in dealing with Tender with RAJASTHAN STATE SPORTS COUNCIL, JAIPUR.

He/ She is also authorized to attend meetings & submit technical & commercial information/ clarifications as may be required by you in the course of processing the Bid. For the purpose of validation, his/ her verified signatures are as under.

Thanking you,

Name of the Bidder: -  
Authorized Signatory: -  
Seal of the Organization: -  
Date:  
Place:

Verified Signature:



## CHECKLIST OF DOCUMENTS SUBMITTED

S. No.	Documents to be submitted	Submitted	Not Submitted	Page No.
1.	Scanned Copies of tender document fee, EMD and processing fees			
2.	Copy of Registration of firms (S-1 and Above category for Sanitary works, Registration under Govt. Department's of Rajasthan).			
3.	Copy of GST Registration			
4.	Copy of PAN Card			
5.	Proof of Work order and Satisfactory Completion of Sanitary work should be as per tender document condition no. 11 (iii) in financial Year 2020-21, 2021-22 2022-23.			
6.	Certificate from Chartered Accountant having UDIN for the proof of average annual Turnover that must be equal/more than the cost of work (bid cost) in the last three Financial Years from 2020-21, 2021-22 2022-23			
7.	Annexure A to D duly signed in context to RTPP Rules-2013.			
8.	Authorization certificate If the tender is signed other than owners			
9.	Copy of GST paid certificate filed by December, 2023 Financial Year 2023-24 in GSTR-3B Performa			
10.	Tender document and Technical Bid and undertaking all three duly signed			
11.	Any other Document			

Note: -1. The work executed under Govt. /Semi-Govt. / Autonomous Departments shall be considered for experience purposes.

2. Similar nature shall means works related to Sanitary works.

3. Last Three FY for works means 2020-21, 2021-22 & 2022-23.

4. Last three FY for average annual turnover means 2020-21, 2021-22 & 2022-23.

5. The contractor should ensure that the Registration should be latest or updated.

Signature of Bidder Seal of Establishment  
Full Name of Bidder with address and date



**Schedule "G"**

Name of work :- Sanitary maintenance work at Sawai Man Singh Stadium, Jaipur.

As per PWD BSR 2022 City Circle, Jaipur

S. No.	Quantity		Particular	Rate		Amount
1	1.00	Nos	P & F Indian type white glazed vitreous china 1st quality W.C. orissa pan (IS :2556 Mark) with 100 mm vitreous china P or S trap including cutting and making good the wall and floor: Size 580x440mm.	3080.00	Each	3080.00
2	1.00	Nos	P & F European type white glazed vitreous china 1st quality W.C pan (IS : 2556 Mark) with P or S trap including cutting and making good the wall and floor	2420.00	Each	2420.00
3	1.00	Nos	P & F water closet Seat Covers with brass hinges complete : Solid PVC (IS 2548 marked) grade-I White for EWC.	485.00	Each	485.00
4	1.00	Nos	Labour charges for removing W.C. pan (any type) of all sizes with care including all necessary fittings P or S trap.	286.00	Each	286.00
5	1.00	Nos	P & F vitreous china P trap of approved quality	215.00	Each	215.00
6	1.00	Nos	P & F 1st quality WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete. Flat Back (large) or half stall size 610x400x80mm.	4637.00	Each	4637.00
7	1.00	Nos	P&F Marble Urinal Partition slab both sides polished of approved design cut from marble size 900x600mm. Makrana II quality marble having light spots	923.00	Each	923.00
8	1.00	Nos	Labour charges for removing and refixing of urinals (all type & sizes) including all necessary fittings.	339.00	Each	339.00
9			P & F Flush Cock / Flush Valve (IS : 9758 Mark) for WC of approved quality make :			
a	1.00	Each	(-do-) concealed 25mm nominal bore.	975.00	Each	975.00
b	1.00	Each	Brass / Gun metal Half-turn wt. 1 Kg. of approved quality / make, 25mm nominal bore.	551.00	Each	551.00
10	1.00	Nos	Removing and re-fixing of wash hand basin including all necessary fittings.	239.00	Each	239.00
11			P & F WVC wash basin (1 <sup>st</sup> quality, I.S. : 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS : 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.:			
a	1.00	Each	Size 580 mm x 450 mm	2745.00	Each	2745.00
b	1.00	Each	Size 550 mm x 400 mm dia for counter top	2994.00	Each	2994.00
12			P & F Bottle Trap of approved make :			
a	1.00	Each	C.P Brass 40 mm	584.00	Each	584.00
13	1.00	Nos	P& F waste Pipe with all fitting P.V.C with C.P nut 32 mm	145.00	Each	145.00
14			P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make as per direction of Engineer-in-charge complete with 6mm thick commercial ply base fixed to wooden screws & washers.			
a	1.00	Nos	Size 600 x 450mm x 4 mm thick	575.00	Each	575.00
b	1.00	Sqm	Other sizes	1538.00	Sqm	1538.00
15			P & F Towel Rail or Ring of approved quality/make:			
a	1.00	Nos	C.P. brass Towel Rail elbow type with concealed screws size 600 mm (Heavy duty).	516.00	Each	516.00
b	1.00	Nos	C.P. Brass Towel Ring revolving type	254.00	Each	254.00

16	1.00	Nos	P & F Grating of approved quality/make:Stainless Steel Sheet size 125mm dia. Heavy Quality of approved make	97.00	Each	97.00
17	1.00	Nos	P & F Toilet Paper Holder with rod of approved quality/make: C.P. brass heavy & Superior quality.	602.00	Each	602.00
18	1.00	Nos	P & F Soap Dish or Tray of approved quality/make C.P. brass heavy and superior quality.	156.00	Each	156.00
19	1.00	Nos	P & F Twin- peg of approved quality / make C.P. brass (heavy)Superior quality	149.00	Each	149.00
20	1.00	Nos	P & F Shower arm 15mm dia of approved quality/make. C.P.brass heavy & superior quality 370mm Projection.	376.00	Each	376.00
21	1.00	Nos	P & F Bath Shower of approved quality/make. C.P. brass of Heavy & superior quality, revolving with adjustable key 150mm.	573.00	Each	573.00
22	1.00	Nos	P & F Extension Pipe for bib cocks of approved quality/make. C.P. brass of Heavy & Superior quality 5100x15mm	119.00	Each	119.00
23	1.00	Nos	Providing & fixing C.P.flange for 15mm dia taps.	18.00	Each	18.00
24	1.00	sqm	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to IS : 13753 & IS :15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar)	674.00	P.Sqm	674.00
25	1.00	Sqm	Extra for using size above 200x300mm in glazed tiles and for using 400mm x 400mm MAT finished tiles in place of 300mm x 300mm size.	6.74	P.Sqm	6.74
26	1.00	sqm	Providing and fixing 1st quality MAT finished ceramic tile size 300x300mm confirming to IS : 13755 and IS : 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4)	748.00	P.Sqm	748.00
27	1.00	Cum	Filling of sunk portion of roof with earthen pots of required height including filling voids with 1:3:6 light concrete, using brick bats complete levelling and dressing the surface by 50mm thick cement concrete 1:2:4 as per specification.	1775.00	P.Cum	1775.00
28	1.00	Nos	Removing & Re fixing of P.V.C. Cistern fittings (Syphon, Ball cock & Handle Set) complete as per direction of Enginner-in-Charge	468.00	Each	468.00
29			P & F G.I. pipes (Internal Work) with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps including cutting and making good the walls and floors:			
a	1.00	Mtr	Concealed pipe in wall including painting with anticorrosive bitumen paint 15 mm dia nominal bore 'B' Class	230.00	P.Mtr	230.00
b	1.00	Mtr	Exposed on wall 25 mm dia nominal bore B class	360.00	P.Mtr	360.00
30			Making connection of G.I. distribution branch with G.I. main including all fitting.			
a	1.00	Nos	Upto 25mm dia	265.00	Each	265.00
b	1.00	Nos	Beyond 25mm & upto 100mm dia	389.00	Each	389.00
31			P & F Pillar Cocks (IS :8934 Mark) of superior quality and approved make:			
a	1.00	Nos	C.P. Pillar cock, 15 mm dia nominal bore	779.00	Each	779.00
b	1.00	Nos	Synthetic Material (PTMT) Pillar cock of approved quality / make 15mm nominal bore.	388.00	Each	388.00
32			P & F Bib Cock (IS : 8931 Mark), Superior quality of approved make:			
a	1.00	Each	C.P. Brass bib cock,15mm nominal bore.	590.00	Each	590.00

*Handwritten signature*


b	1.00	Each	(-do-) Long body, 15mm nominal bore weight not less than 690 gm	783.00	Each	783.00
c	1.00	Each	Synthetic Material(PTMT) bib cock of approved quality/ make, Long Body, 175 mm long	295.00	Each	295.00
33			P & F <i>Push Cock</i> superior quality, of approved make			
a	1.00	Each	C.P. Brass 15 mm.	370.00	Each	370.00
b	1.00	Each	Synthetic Material (PTMT) push cock of approved quality/make 15mm.	205.00	Each	205.00
34			P & F Ball Cock (IS :1703 Mark) with Rod & P.V.C. Ball complete :			
a	1.00	Each	Brass wt. Not less than 300 gm,15mm.	314.00	Each	314.00
b	1.00	Each	(-do-) wt.Not less than 600 gm, 25mm.	440.00	Each	440.00
c	1.00	Each	(-do-) wt.Not less than 800 gm, 32mm.	480.00	Each	480.00
35			P & F <i>Inlet Connection</i> (Angle Valves) Superior quality, of approved make, for Wash basin, Gysar etc.			
a	1.00	Each	---do--- with 37 cm long thread and nut	590.00	Each	590.00
b	1.00	Each	Synthetic Material (PTMT) Inlet connection of approved quality/make 15 mm nominal size.	240.00	Each	240.00
36	1.00	Nos	P & F 15 mm. Dia Connection Pipe of approved quality/make : PVC pipe with C.P. Brass nuts upto length, 450mm	101.00	Each	101.00
37			P & F <i>Full-way Valve</i> (IS:778 Mark) or wheel valve of approved make :			
a	1.00	Each	Gun-metal 15mm nominal bore.	227.00	Each	227.00
b	1.00	Each	(-do-) 25mm nominal bore.	529.00	Each	529.00
c	1.00	Each	(-do-) 50mm nominal bore.	1464.00	Each	1464.00
38			P & F <i>PVC Storage Tank</i> ISI Marked (IS : 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. overflow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design:			
a	1.00	Nos	300 litres capacity	2352.00	Each	2352.00
b	1.00	Nos	500 (-do-)	3920.00	Each	3920.00
c	1.00	Nos	1000 (-do-)	7841.00	Each	7841.00
39	1.00	Nos	Hoisting Charges for each floor : For water tanks	157.00	Each	157.00
40			Supply & fixing G.I. Union ISI marked in G.I. pipe line as required complete in all respect of size :			
a	1.00	Nos	15mm dia nominal bore	101.00	Each	101.00
b	1.00	Nos	25mm dia nominal bore	164.00	Each	164.00
c	1.00	Nos	50mm dia nominal bore	463.00	Each	463.00
41	1.00	Nos	P & F <i>Square-mouth</i> gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonry chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm, ferrow cement cover with frame Internal Chamber size 450 X 450mm.	1529.00	Each	1529.00
42	1.00	Nos	Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangular manhole 150x120 cm	1487.00	Each	1487.00
43			Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, making channels, 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm dia, earthwork etc. complete as per design including disposal of surplus earth within 50 mtr. lead			

*Handwritten signature*

(a)	1.00	Nos	Depth up to 0.5 M	5489.00	Each	5489.00
(b)	1.00	Nos	Add extra over item 3.19.1 for every additional 0.10m depth above 0.5 m depth.	206.00	Each	206.00
44	1.00	Mtr	Providing & fixing Spun -Centrifugally cast Iron Pipes (IS : 3989 Mark ) of Approved make in wall or in floor with M.S. Holder bat clamps in 10 X 10 X10 Cm. M-15 Grade concrete blocks, joints filled with CM 1:4 with spun yarn including cutting holes and making good the wall:- 100 mm dia.	1299.00	P.Mtr	1299.00
45			Providing & fixing Spun -Centrifugally cast Iron Pipes fitting (IS : 3989 Mark ) in CM 1:4 with spun Yarn.			
a	1.00	Nos	100mm w/o door Offset	809.00	Each	809.00
b	1.00	Nos	100mm w/o door Socket	519.00	Each	519.00
c	1.00	Nos	100mm w/o door Bend	655.00	Each	655.00
d	1.00	Nos	100mm w/o door Cowel	529.00	Each	529.00
f	1.00	Nos	100mm with door Tee	989.00	Each	989.00
46	1.00	Nos	Providing and Fixing Spun -Cast Iron floor trap (Nahani) of (IS :3989 Mark ) approved quality / make with socket down or hinged grating including cutting and making good the floor :- Size 100 x 100 mm	1000.00	Each	1000.00
47	1.00	Nos	Add extra for <i>Lead caulked joints</i> (IS:782-1978) in sand cast iron pipes/spun- 100mm dia, 0.98 Kg. Pig lead	344.00	Each	344.00
48	1.00	Nos	Providing & fixing Spun -Centrifugally cast Iron Pipes fitting (IS : 3989 Mark ) in CM 1:4 with spun Yarn 100mm w/o door as per direction of Engineer-in-Charge. P Trap of standard size	936.00	Each	936.00
49	1.00	Nos	Construction of Cement Concrete Chamber 125mm dia on depressed floor upto 45cm height from floor with : C.P. doom grating	263.00	Each	263.00
50	1.00	Cum	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	930.00	P.Cum	930.00
51	1.00	Sqm	Dismantling tile work in floors and roofs laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 meter lead; For thickness of tiles 10mm to 25mm.	20.00	P.Sqm	20.00
52	1.00	Mtr	Dismantling GI pipes (external work) including excavation and refilling trenches after taking out the pipes and including stacking of pipes within 50 meter lead: 15mm to 40mm nominal bore.	41.00	P.Mtr	41.00
53	1.00	Mtr	Dismantling CI pipes including excavation and refilling trenches after taking out the pipes, breaking lead caulked joints, melting of lead and making into block, including stacking of pipes lead at site within 50 meter, of dia: Up to 150mm dia.	109.00	P.Mtr	109.00
54	1.00	Nos	Dismantling of gully chamber of various sizes including CI grating with frame including stacking of useful materials near the site and disposal of unserviceable material within 50 meter lead including refilling the gap.	255.00	Each	255.00
55	1.00	Sqm	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	15.00	P.Sqm	15.00
56	1.00	Nos	Making of hole (width up to 150 mm) in R.C.C. slab/wall/beams by power driven drilling machine complete as per direction of EI above 150 mm thick	270.00	Each	270.00
57	1.00	Sqm	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish : 25mm thick	227.00	P.Sqm	227.00
58	1.00	Sqm	Finishing with neat cement (punning).	36.00	P.Sqm	36.00

59	1.00	Sqm	Half brick masonry in Superstructure , above plinth level upto floor V level using bricks of designation 75 Cement mortar 1 : 4 (1 cement : 4 coarse sand)	553.00	P.Sqm	553.00
60	1.00	Sqm	Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 3 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South zed Black Above 3601 Cm2 Slabs	4076.00	P.Sqm	4076.00
61	1.00	Sqm	Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots.Above 3601 Cm2 Slabs	1305.00	P.Sqm	1305.00
62	1.00	Mtr	Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding.	146.00	P.Mtr	146.00
63	1.00	Nos	Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete	256.00	Each Opening	256.00
64	1.00	Cum	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40mm nominal size).	4544.00	P.Cum	4544.00
65	1.00	Cum	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	930.00	P.Cum	930.00
66			P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:			
a			Plain Tee			
i	1.00	Each	75mm dia	114.00	Each	114.00
ii	1.00	Each	110mm dia	187.00	Each	187.00
b			Plain floor trap			
i	1.00	Each	110mm dia	230.00	Each	230.00
c			Vent Cowel			
i	1.00	Each	110mm dia	56.00	Each	56.00
d			Bend 87.5			
i	1.00	Each	110mm dia	161.00	Each	161.00
67			Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make			
a	1.00	Each	Offset 110mm dia	282.00	Each	282.00
68			P & F Stop Cock (IS :8931 Mark), superior quality & of approved make:			
a	1.00	Each	C.P. Brass 15mm nominal bore.	477.00	Each	477.00
b	1.00	Each	C.P. Brass Concealed Stop Cock 15mm	1009.00	Each	1009.00

69			P&F rigid PVC Pipe (IS:4985 mark) class III (4 Kg./Cm <sup>2</sup> .) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant.			
a	1.00	Mtr	75 mm dia	177.00	P.Mtr	177.00
b	1.00	Mtr	110 mm dia	282.00	P.Mtr	282.00
70			P & F Low level Flushing Cistern of 10 litres capacity (IS : 2556mark). Of approved make with complete fittings C.I. brackets duly painted, brass ball cock with ball, (IS: 1703 mark) complete including cutting and making good the wall:			
a	1.00	Each	PVC with CP brass long band.	1491.00	Each	1491.00
71	1.00	Each	P & F Jet spray for water closet with C.P. Copper Tube flange of approved make.	381.00	Each	381.00
72	1.00	Mtr.	P & F G.I. Pipes (External Work) with G.I. fittings excluding union (IS : 1239 Mark) including trenching & refilling earth etc. 50mm dia nominal bore 'B' Class	491.00	Mtr.	491.00
73	1.00	Each	P & F Gun-metal Non-return Valve or Check Valve (IS :Make) of approved make, superior quality: (a) 15mm nominal bore- Horizontal	272.00	Each	272.00
74	1.00	Each	P & F Mixing Range (15mm) C.P. One hole/close hole basin mixer with casted spout.	1740.00	Each	1740.00
75	1.00	Each	P & F C.P. brass Urinal Spreader for stall urinal of approved make.	363.00	Each	363.00
76	1.00	Each	P& F waste Coupling with fittings of approved quality /make: C.P Brass 40 mm dia	218.00	Each	218.00
77	1.00	Each	Construction of septic Tank in all types of soil with 40 Cm .thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C flooring & over stone slab covering ,80 mm thick slab jointing of slab in CM 1:3. Ralthal, Kharanja, 50 mm thick stone partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos C.I foot rests of approved design ,two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 mtr:- Size 230 x110 x150 cm.(for 20 users) with 115 mm thick RCC (M-20) slab with Tor steel reinforcement 10mm $\phi$ @15 cm c/c bothways including shuttering complete in all respect.	38499.00	Each	38499.00
78	1.00	Cum	Emptying of Septic tank ,Soakage well etc. by disposing or sludge upto 5 Km. lead & taking out sewage including cleaning of site.	286.00	P.Cum	286.00
79	1.00	Each	Supplying & Fixing R.C.C. Manholes covers with frame of approved make (Light duty). Size 600 X 600mm (Double seal)	502.00	Each	502.00
80	1.00	Each	Construction of soakage well in all type of soil with 300 mm thick dry masonry, top and bottom 300 mm course in CM 1:6, 80mm thick stone slab, jointing of slab in CM 1 : 3, Ralthal, Kharanja, 40 mm thick M-15 grade C.C flooring , earthwork complete as per approved drawing including disposal of earth within a lead of 50 mtr.: Size 300 Cm. dia outside & 300 Cm. depth	24135.00	Each	24135.00
81	1.00	Each	Construction of Soakage well in all types of soil of approved drawing, top 90 Cm .Portion in 450mm thick masonry with CM 1:6, 80 mm thick stone slab covering, jointing of slab in CM 1:3 ,Ralthal, kharanja 40mm thick M-15 grade C.C flooring, earth work etc . complete including disposal of surplus earth within a lead of 50 mtr . Inner dia 90 Cm & 10 to 12 Mtr deep.	5478.00	Each	5478.00
82	1.00	Mtr.	Providing Laying & jointing glazed S.W. pipes grade 'A' (IS;651 marked) of approved make with spun yarn & stiff mixture of cement mortar 1:1, excavation & refilling of earth in all types of soil upto 1.2m depth, S.W. fittings, including testing of joints etc, complete. 150mm dia	406.00	P.Mtr	406.00





83	1.00	Mtr.	Providing & Laying C.C. 1:5:10 (Stone aggregate 40mm nominal size) upto haunches of S.W. pipes including 150 mm thick bed concrete (Width W= Dia of pipe in Cm+ 30Cm.) concrete width to be reduced from width W at center of pipe to '0' at top of pipe. (Excluding cost of pipe) 150mm dia S.W. pipe	353.00	P.Mtr	353.00
84	1.00	Each	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m, 10 cm thick C.C. 1:5:10 in foundation, 20mm thick insides plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr. Inside size 450 x 450mm depth upto 0.5 M Cement cover with frame	2332.00	Each	2332.00
85	1.00	Each	Removing & Re fixing of P.V.C. Cistern fittings (Syphon, Ball cock & Handle Set) complete as per direction of Engineer-in-Charge	468.00	Each	468.00
86	1.00	Each	P & F foot valve of superior quality and approved make with fittings : Brass 25 mm.	172.00	Each	172.00
87			Mechanised cleaning of storage tanks comprises of following 6 stage as mentioned below : 1. Mechanical dewatering 2. Desalting removal of leftover dirty water and sludge with sludge pump 3. Cleaning of wall, ceiling and floor by high pressure water jet with help of equipments which creates a pressure of 100-150 bar 4. Removal of remaing sludge from floor with the help of industrial vacuum cleaner. 5. Spraying of non toxic, bio degradable ecofriendly and bacterial agent certified by a govt approved laboratory to disinfect the tank from all harmful pathogens. The dose should be safe as per the UECD guidelines & 23 adopted on 17 th december 2001. 6. Treatment of inside tank by exposing UV radiation to kill further			
a	1.00	Ltr.	Upto 500 ltr.	0.40	P.litres	0.40
b	1.00	Ltr.	Above 500 ltr. to 1000 Ltr.	0.35	P.litres	0.35
c	1.00	Ltr.	Above 1000 ltr.	0.30	P.litres	0.30
88	1.00	Each	P & F Kitchen & Lab. Sink of approved make with C.I. brackets duly painted, 40 mm C.P. waste coupling, C.P. Brass chain with rubber plug, 40 mm G.I. waste pipe up-to floor level complete including cutting and making good the wall & floor : 1.0 mm thick Salem stainless steel AISI 304 & IS 13983-1994 kitchen sink of approved make as per Engineer-in-charge with large waste coupling. 24 x 18 x 8 20x16x8	5062.00	Each	5062.00
89	1.00	Each	P & F C.P. Health Faucet with 1Mtr. Long Tube & Hook of approved make and heavy as per direction of Engineer-in-Charge	605.00	Each	605.00
90	1.00	Each	C.P. Pillar cock, Swan-neck with casted spout, 15mm nominal bore.	1246.00	Each	1246.00
91	1.00	Each	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge Angular stop cock with long thread 15 mm nominal size	762.00	Each	762.00
92	1.00	Each	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge Two way Bib Cock 15 mm nominal size	1174.00	Each	1174.00
93	1.00	Each	P & F Mixing Range (15mm) C.P. wall mixer telephonic type crutch & telephonic shower.	2541.00	Each	2541.00
94	1.00	Each	P & F Mixing Range (15mm) C.P. sink mixer with swinging spout J-pipe.	1876.00	Each	1876.00

95	1.00	Mtr	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. 160 mm dia	463.00	Mtr	463.00
96	1.00	Each	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge 190 mm rain shower	5583.00	Each	5583.00
97	1.00	Each	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge Shower arm	1210.00	Each	1210.00
98	1.00	Each	P & F W.V.C. (IS: 2556 Mark) Squatting Urinal of standard make complete. Including cutting & making good the floor: Size 450x350mm	853.00	Each	853.00
99	1.00	Each	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m, 10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring , earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr. Inside size 300 X 300 mm depth upto 0.5 M Cement cover with frame.	1049.00	Each	1049.00
100	1.00	Rm	Supply & fixing Pre-cast RCC Rinngs at the mouth of recharge shaft of M20 mix with 40 mm thickness Diameter 750 mm	666.00	Rm	666.00
101	1.00	Sqm	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, making of lines or groove etc complete but excluding the cost of nosing of steps etc. complete. 75mm thick with 20mm thick nominal size aggregate.	458.00	Sqm	458.00
102	1.00	Cum	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	5196.00	Cum	5196.00
103	1.00	Cum	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:6 ( 1-Cement : 6-Sand).	2838.00	Cum	2838.00
104	1.00	Sqm	Stone slab roofing on ground floor with fine grained stone slab from approved quarry including filling of joints of parapet and slab on both sides in cement sand mortar 1:4, with ceiling pointing in cement sand mortar 1 : 3 complete as per specification and instruction of Engineer In Charge	1648.00	Sqm	1648.00
105	1.00	Sqm	Add extra for subsequent story (Rs. 1648 of 20% Rate)	329.60	Sqm	329.60
106	1.00	Cum	Earth work in excavation by mechanical means (Hydraulic Excavator )/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering & ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter. All kinds of soils	178.00	Cum	178.00
107	1.00	Cum	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size).	4624.00	Cum	4624.00
108	1.00	Sqm	P & F 1st qualityVitrified Porcelain Polished tiles on floor, skirting and steps etc.in different sizes (thickness to be specified by manufactuer) with water absortion less than 0.08% and conforming to IS 15622 of approved make in all colour and shade, laid with 20 mm thick CM 1 : 4 including grouting the joints with white cement and matching pigment etc complete. size 600 mm X 600 mm	911.00	Sqm	911.00

109	1.00	Sqm	Add extra for Fixing glazed/ Ceramic/ Vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (Water based) conforming to IS: 15477 , using 5kg. adhesive per sum of tile area, in average 3mm thickness instead of cement mortar.	128.00	Sqm	128.00
110	1.00	Sqm	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : a) first layer of slurry of cement @ 0.488 kg/sqm mixed with water proffing cement compound @0.253 kg/sqm .This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proffing cement compound @ 0.126 kg/sqm This layer will be allowed to air cure for 4 hours followed by water curing for 48 hours. The rates includes preparation of surface treatment & sealing of all joints ,corners, junction with polymer mixed slurry.	275.00	Sqm	275.00
111	1.00	Cum	Carriage of Building Rubbish Stone metal (Grit and ballast etc.) including loading unloading etc. complete with all lead. 1 Km.	80.00	Sqm	80.00
112	1.00	Each	Providing & Fixing Premium Quality white glazed vitreous china Sanitary Wares (IS:2556 Mark) of approved make as per direction of Engineer-in-charge including cutting and making good the wall and floor. Double Syphonic European W.C. with mounted W.V.C. flushing cistern of 10 litre capacity complete with all necessary internal fittings with Hydraulic seat cover.	17839.00	Each	17839.00
113	1.00	Each	Construction of septic Tank in all types of soil with 40 Cm .thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C floor & RCC slab covering with M15 grade c.c. floor, 50 mm thick stone slab partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos stone foot rests of approved design ,two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 mtr:- Size 400 x140x150 cm.(for 50 users) with 115 mm thick RCC (M-20) slab with Tor steel reinforcement 10mm $\phi$ @15 cm c/c bothways including shuttering complete in all respect.	59860.00	Each	59860.00



Secretary  
Rajasthan State Sports Council  
Jaipur